



[www.higol.com.tw](http://www.higol.com.tw)

**INDOOR  
CYCLE** &  
FITNESS  
MACHINES

A full-page background image featuring a muscular man with a goatee, wearing a dark green hoodie that is open at the chest. He is looking directly at the camera with a serious expression. The background is a vibrant, abstract composition of colorful geometric shapes, including triangles and polygons in shades of purple, pink, blue, and yellow. In the bottom left corner, there is a small white graphic consisting of a cluster of dots and a small arrow pointing right.

**A Professional Indoor Cycle,  
Fitness Bike Manufacturer  
In Taiwan**

---





## Value-added Products for your active lifestyle

Value-added Products for your active lifestyle  
Royalty International Co., Ltd. was established in 1982, Brand name : HIGOL. It's a Taiwan-based company specialized in manufacturing Spin bike, exercise bike , fitness equipment. The products are all made in Taiwan. We offer a complete range of bikes come with attractive designs for Home-use and commercial professional-use to meet user's exercising requirements. " Reasonable price and best quality " are our main principles in management. We do stringent quality control to provide customers with safe products, Implementation of the ISO 9002 standard in 1996 increased product quality and efficiency.

Our strong R & D team endeavors for continual research, development and innovative designs to meet customers' OEM & ODM needs. Our goal insist to sustain our R & D effort with the two-pronged aim of developing more products as well as upgrading our existing line in terms of function, performance and quality. Beyond merely manufacturing different products, Our mission to provide you with value-added fitness equipments that is of a much higher caliber than that found in China.

HIGOL bike brings users an easier, wiser and a whole new way of exercise. Keep health with HIGOL bike by the most leisure and carefree way at gym, club or your Home, at any time. We will continue to endeavor for the vertical linking and integration of R & D and product technology in order to ensure prompt and accurate delivery. We strictly monitor the design, molding, production, processing, and product delivery. Customers' needs will be answered !! We strive to provide products and services that meet our customers' satisfaction.

[www.higol.com.tw](http://www.higol.com.tw)

**HIGOL**

# EM - 91

## FEATURE

Magnetic Braking system, Belt transmission.

Durable grooved V-Belt direct drive.

Over size frame design.

- | Tension control : 16 levels adjustment by new design knob with emergency stop.
- | Square steel construction on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- | Dual handle bar.
- | Ultra strong BB and axles, Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel : 15kgs.
- | Console : Optional.
- | Front stabilizer tube with stretch cover.
- | Container Load - 20feet : 100pcs // 40feet : 212pcs.



FEATURE



# HRM - 72A

Magnetic Braking system, Belt transmission.

Durable grooved V-Belt direct drive.

Patent design : Over size heavy duty Hexagon h/bar & s/post set.

- Tension control : 16 levels adjustment by new design knob with emergency stop.
- Over size Hexagon design on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- Durable handle bar w / holder.
- Ultra strong BB and axles, Sealed bearings.
- Crank : oversize forged, durable.
- Flywheel : 15kgs.
- Console : Optional.
- Front stabilizer tube with stretch cover.
- Container Load - 20feet : 100pcs // 40feet : 212pcs.



# RM - 01WR

## FEATURE

Magnetic Braking system, Belt transmission.  
Durable grooved V-Belt direct drive.

- | Tension control : 16 levels adjustment by new design knob with emergency stop.
- | Square steel construction on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- | Ultra strong BB and axles, Sealed bearings.
- | Crank : oversize forged, durable.
- | Console : Optional.
- | Flywheel : 15kgs.
- | Container Load - 20feet : 100pcs // 40feet : 212pcs.



# HOM - 92A

## FEATURE

Magnetic Braking system, Belt transmission.

Durable grooved V-Belt direct drive.

Patent design : Over size heavy duty Hexagon h/bar & s/post set.

- | Tension control : Multi-control different resistance with emergency stop.
- | Over size Hexagon design on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- | Over size frame design.
- | Durable h / bar w / holder.
- | Ultra strong BB and axles, Sealed bearings.
- | Crank : oversize forged, durable.
- | Plastic cover on frame to anti-sweat.
- | Flywheel : 15kgs.
- | Container Load - 20ft : 90pcs // 40ft : 190pcs.



# OM - 35

## FEATURE

Magnetic Braking system, Belt transmission.  
Durable grooved V-Belt direct drive.

- | Tension control : 16 levels adjustment by new design knob with emergency stop.
- | Square steel construction on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- | Over size frame design.
- | Ultra strong BB and axles, Sealed bearings.
- | Crank : oversize forged, durable.
- | Plastic cover on frame to anti-sweat.
- | Flywheel : 15kgs.
- | Container Load - 20ft : 115pcs // 40ft : 240pcs.







OM - 01



OM - 92

#### FEATURE

Magnetic Braking system, Belt transmission.  
Durable grooved V-Belt direct drive.

- | Tension control : Multi-control different resistance with emergency stop, or 16 levels adjustment by new design knob with emergency stop.
- | Square steel construction on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- | Over size frame design.
- | Ultra strong BB and axles, Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel : 15kgs.
- | Container Load - 20ft : 120pcs // 40ft : 254pcs.



# PRO - 68M01F

## FEATURE

Magnetic Braking system, Belt transmission.  
Durable grooved V-Belt direct drive.

- | Tension control : 16 levels adjustment by new design knob with emergency stop.
- | Square steel construction on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- | Ultra strong BB and axles, Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel : 15kgs.
- | Console : Optional.
- | Container load - 20ft : 120pcs // 40ft : 254pcs.





# PRO - 68M01

## FEATURE

Magnetic Braking system, Belt transmission.  
Durable grooved V-Belt direct drive.

- ┆ Tension control : Multi-control different resistance with emergency stop.
- ┆ Square steel construction on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- ┆ Ultra strong BB and axles, Sealed bearings.
- ┆ Crank : oversize forged, durable.
- ┆ Flywheel : 15kgs.
- ┆ Container load - 20ft : 120pcs // 40ft : 254pcs.




# STD - 68V

## FEATURE

Magnetic Braking system, Belt transmission.  
Durable grooved V-Belt direct drive.

- | Tension control : Multi-control different resistance with emergency stop.
- | Square steel construction on Handle bar set, stem & Seat post set, Height, forward / backward adjustable.
- | Ultra strong BB and axles, Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel : 15kgs.
- | Container Load - 20ft : 120pcs // 40ft : 254pcs.





# OB - 32

## FEATURE

Durable grooved V-Belt direct drive system.  
Over size frame design.

- | Square steel construction on Handle bar set, stem & Seat post set.  
Height & Forwards / Backwards positions adjustable.
- | Dual handle bar.
- | Ultra strong BB and flywheel axles.
- | Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel – 1-PC CNC Steel 24kgs.
- | Tension Control – Multi-control different lightness & heaviness.
- | Plastic cover on frame to anti-sweat.
- | Rear stabilizer tube with stretch cover.
- | Container Load - 20feet : 115pcs // 40feet : 240pcs.



# OB - 11B

## FEATURE

Durable grooved V-Belt direct drive system.  
Over size frame design.

- I Square steel construction on Handle bar set, stem & Seat post set.  
Height & Forwards / Backwards positions adjustable.
- I Press handle lever for emergency stop.
- I Ultra strong BB and flywheel axles.
- I Sealed bearings.
- I Crank : oversize forged, durable.
- I Flywheel — Iron casting 20kgs / 24kgs.
- I Tension Control — Multi-control different lightness & heaviness.
- I Container Load - 20feet : 120pcs // 40feet : 254pcs.





# PRO - 34BA

## FEATURE

Durable grooved V-Belt direct drive system.

- | Square steel construction on Handle bar set, stem & Seat post set.  
Height & Forwards / Backwards positions adjustable.
- | Dual handle bar design.
- | Ultra strong BB and flywheel axles.
- | Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel — 1-PC CNC Steel 24kgs.
- | Tension Control — Multi-control different lightness & heaviness.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.





## AIR - 24JNCG

### FEATURE

Durable grooved V-Belt direct drive system.

- | Square steel construction on Handle bar set, stem & Seat post set. Height & Forwards / Backwards positions adjustable.
- | Ultra strong BB and flywheel axles.
- | Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel – 1-PC CNC Steel or Iron casting 20kgs / 24kgs.
- | Tension Control – Multi-control different lightness & heaviness.
- | Container Load - 20feet : 115pcs // 40feet : 240pcs.



## AIR - 20JC

# PRO - 68P

## FEATURE

Durable grooved V-Belt direct drive system.

- | Durable grooved V-Belt direct drive system.
- | Square steel construction on Handle bar set, stem & Seat post set.  
Height & Forwards / Backwards positions adjustable.
- | Press handle lever for emergency stop.
- | Ultra strong BB and flywheel axles.
- | Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel — Iron casting 20kgs / 24kgs.
- | Tension Control — Multi-control different lightness & heaviness.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.







PRO - 68H



PRO-680

#### FEATURE

Durable grooved V-Belt direct drive system.

- | Square steel construction on Handle bar set, stem & Seat post set.  
Height & Forwards / Backwards positions adjustable.
- | Ultra strong BB and flywheel axles.
- | Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel — Iron casting 20kgs / 24kgs.
- | Tension Control — Multi-control different lightness & heaviness.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.

# STD - 68R-1

## FEATURE

Durable grooved V-Belt direct drive system.

- | Square steel construction on Handle bar set, stem & Seat post set.  
Height & Forwards / Backwards positions adjustable.
- | Ultra strong BB and flywheel axles.
- | Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel – Iron casting 20kgs.
- | Tension Control – Multi-control different lightness & heaviness.
- | Console : optional.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.



# PRO - 681G

## FEATURE

Chain drive system.

- | Square steel construction on Handle bar set, stem & Seat post set.  
Height & Forwards / Backwards positions adjustable.
- | Press handle lever for emergency stop.
- | Ultra strong BB and flywheel axles.
- | Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel – Iron casting 20kgs / 24kgs.
- | Tension Control – Multi-control different lightness & heaviness.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.







PRO-88P



PRO-88LA

#### FEATURE

Chain drive system.

- | Square steel construction on Handle bar set, stem & Seat post set. Height & Forwards / Backwards positions adjustable.
- | Ultra strong BB and flywheel axles.
- | Sealed bearings.
- | Crank : oversize forged, durable.
- | Flywheel – Iron casting 18.5kgs / 20kgs / 24kgs.
- | Tension Control – Multi-control different lightness & heaviness.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.



## STD - 68LA

### FEATURE

Chain drive system.

- | Square steel construction on Handle bar set, stem & Seat post set. Height & Forwards / Backwards positions adjustable.
- | Flywheel — Iron casting 18.5kgs / 20kgs.
- | Tension Control — Multi-control different lightness & heaviness.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.



## STD - 680A

### FEATURE

Chain drive system.

- | Square steel construction on Handle bar set, stem & Seat post set. Height & Forwards / Backwards positions adjustable.
- | Press handle lever for emergency stop.
- | Flywheel — 1-PC Steel CNC 20kgs.
- | Tension Control — Multi-control different lightness & heaviness.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.



STD - 64F



STD - 64EC

#### FEATURE

Chain drive system.

- | Square steel construction on Handle bar set, stem. Height adjustable.
- | Seat : Height & Forwards / Backwards positions adjustable.
- | Flywheel –Iron casting 14kgs / 18.5kgs.
- | Tension Control – Multi-control different lightness & heaviness.
- | Container Load - 20feet : 120pcs // 40feet : 254pcs.





**ROYALTY INTERNATIONAL COMPANY LIMITED**

No. 78, Lane 270, Sec 2, Shi-Nan Rd., Wu-jih, Taichung, Taiwan, R.O.C.

TEL : 886-4-23356963 FAX : 886-4-23353046

Http : [www.higol.com.tw](http://www.higol.com.tw)

E-mail : [higol@ms29.hinet.net](mailto:higol@ms29.hinet.net) \ [higol@higol.com.tw](mailto:higol@higol.com.tw)